



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Fu

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/079,489	02/22/2002	Bernd Niethammer	01-0401	9328

7590 07/03/2003

McGuireWoods LLP
1750 Tysons Boulevard, Suite 1800
Tysons Corner
McLean, VA 22102-4215

EXAMINER

SOLAK, TIMOTHY P

ART UNIT PAPER NUMBER

3746

11

DATE MAILED: 07/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/079,489

Applicant(s)

NIETHAMMER, BERND

Examiner

Timothy P. Solak

Art Unit

3746

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 May 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-21 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☒ Interview Summary (PTO-413) Paper No(s). 10.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-7 and 18, drawn to condition responsive control to eliminate peak pressures, classified in class 417, subclass 299.
- II. Claims 8-13, drawn to plural pumps with individual control, classified in class 417, subclass 286.
- III. Claims 14-17 and 19-20, drawn to an injector supply pump, classified in class 417, subclass 494.
- IV. Claim 21, drawn to a method of eliminating pressure peaks, classified in class 417, subclass 53.

The inventions are distinct, each from the other because of the following reasons:

Inventions of Group IV and Groups I-III are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus as claimed, i.e. two pumps/stages with associated valves can be used to practice another materially different process, such as filling a swimming pool with or without pressure peaks, by simply opening the valves and letting the fluid flow from the two

pumps/stages into the pool. Further the method of eliminating pressure spikes can be accomplished with an ordinary accumulator.

Inventions of Group III and Groups I-II are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the inventions have different modes of operation, namely invention III is a fluid injector system comprising a plurality of pump stages with individual valves located in between each pump stage i.e. controlling fluid flow in between stages; while invention I-II have a plurality of pumps/stages with ordinary valves located upstream of the pumps/stages i.e. controlling fluid flow upstream of the pump. The difference lies in that in first invention you have control of a pumped fluid while interacting between pump stages and in the second invention you have fluid flow control prior to the fluid entering the pump from an unknown source.

Inventions of Group I and Group II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination, i.e. a plurality of pump units with at least one upstream valve for condition responsive control, does not require the particulars of the subcombination i.e. a plurality of pump units with two upstream valves, because the additional valves will not assist in

the conditional responsive control (i.e. elimination of pressure spikes). The subcombination has separate utility such as in a high-pressure unit used in a corrosive environment where double valveing is a common practice to prevent leakage.

The extremely broad scope of the claims has necessitated a massive expansion of the search strategy. The search required for Group I may easily include all of the conditional responsive subclasses; while the search strategy for Group II will have to encompass all the plural pumping and housing subclasses. Further the search strategy for Group III will have to be expanded to other classes, outside the art unit, such as dispensing and automotive engines.

Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Election of Species

If the applicant elects the invention of Group II, then an election of species is required as follows:

- Species A: Control valves, flow valves, or on/off valves; Figure 3.
- Species B: Pressure regulating valves; Figure 4.
- Species C: Relief valves; Figure 3.
- Species D: Sets of Valves Figure 4.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, 9 is generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, even though this requirement is traversed.

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

It is additionally pointed out that, contrary to what applicants may suggest, the examination burden is not limited exclusively to a prior art search but also includes the effort required to apply the art by making and discussing all appropriated grounds of rejection.

A telephone call was made to Andrew Calderon on 06/17/2003 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy P. Solak whose telephone number is 703-308-6197. The examiner can normally be reached on Monday through Friday from 10am to 6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy S. Thorpe can be reached on 703-308-0102. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9302 for regular communications and 703-872-9303 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0861.


tps

June 30, 2003


CHERYL J. TYLER
PRIMARY EXAMINER